



# Anti-Rabbit IgG Fc goat monoclonal antibody [RMG02] Catalog No: tcra319

Available Sizes				
Size: 100ug				
Specifications				
<b>Application:</b> WB (nonreduced), IP, ICC, IH	C, FC, ELISA			
<b>Species Reactivity:</b> Rabbit				
<b>Host Species:</b> Goat				
<b>Immunogen / Amino acids</b> Rabbit IgG	<b>:</b>			
<b>Conjugation:</b> Unconjugated				
Clonality: Monoclonal				
Clones: RMG02				
<b>Isotype:</b> Goat IgG				
Form: Liquid				
Storage Buffer: 50% Glycerol/PBS with 1% BS	SA and 0.09% sodiu	m azide		





#### **Concentration:**

1 mg/mL

#### **Recommended Dilution:**

ELISA: 0.01 ug/mL - 0.5 ug/mL; Immunocytochemistry (ICC): 0.5 ug/mL-2 ug/mL; Immunohistochemistry (IHC): 0.5 ug/mL-2 ug/mL; Western Blot (WB) (nonreduced): 0.1 ug/mL-0.5 ug/mL.

## **Storage Instruction:**

store at -20°C; avoid repeated thawing/freezing

#### **SwissProt:**

N/A

#### **Purification:**


Protein G affinity purified from an animal origin-free culture supernatant


## **Notes**

Sold under RevMab BioSciences Labelled.

## **Product Description**

Goat monoclonal to Rabbit IgG Fc; This antibody reacts to the Fc region of Rabbit IgG. No cross reactivity with human IgG, rat IgG, or mouse IgG.






ng/mL, or 50 ng/mL of RMG02 was used as the primary antibody. An alkaline phosphatase conjugated anti-goat IgG as the secondary antibody.







All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!